

Work Order ID 148705

Wednesday, July 06, 2016 8:42:56 AM

148705

Page 1

Item ID: D3943-051 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Handle Assembly
 Start Date: 6/29/2016 Start Qty: 2.00 ***2*** Cust Item ID:
 Required Date: 7/5/2016 Req'd Qty: 2.00 ***2*** Customer:
 Reference:

Approvals: Process Plan: **DAS 21 9-89** Date: **JUL 11 2016** Tooling: Date: Run Start ***NR1***
 QC: Date: SPC (Y/N): Date: Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3943	E

100 Weld per dwg A/R Steel rod Batch: **M123823** 0.00

100

Large Fab Memo 0.18

Large Fab Drill handle assembly and assemble as per dwg

2 EL 16-8-30

110 QC5- Inspect part completeness to step on W/O 0.00

110

QC Memo 0.10

Quality Control

② 16-08-31 DAS 9 9-89

120 QC9- Inspect visual per QSI004- Fusion Welds 0.00

120

QC Memo 0.00

Quality Control

② 16-08-31 DAS 9 9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐				
OTHER :									

Work Order ID 148705

Wednesday, July 06, 2016 8:42:56 AM

148705

Page 2

Item ID: D3943-051 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Handle Assembly
 Start Date: 6/29/2016 Start Qty: 2.00 ***2*** Cust Item ID:
 Required Date: 7/5/2016 Req'd Qty: 2.00 ***2*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Hybrid safety Yellow 4.3.5.12	0.00							
130									
Powdercoat	Memo <i>m. 11/6/329..</i>	0.02							
Powder Coating	1- MASK THREADS PRIOR TO PAINTING AS PER DWG								
	2- POWDER COAT								
	Start Time: <i>10:30</i>								
	Oven Temperature: <i>320°</i>								
	Finish Time: <i>11:00</i>								
140	QC3- Inspect Part Finish	0.00							
140									
QC	Memo	0.00							
Quality Control									
150	Identify as per dwg & Stock Location: <i>12A07</i>	0.00							
150									
Packaging	Memo	0.00							
Packaging									

2 *16-09-26* *23* *0.02*

(2) *DAS* *38* *0.00* *SEP 7 6 7016*

2 *12* *16-9-27*

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Work Order ID 148705

Wednesday, July 06, 2016 8:42:56 AM

148705

Page 3

Item ID: D3943-051 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Handle Assembly
Start Date: 6/29/2016 Start Qty: 2.00 ***2*** Cust Item ID:
Required Date: 7/5/2016 Req'd Qty: 2.00 ***2*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	QC21- Final Inspection - Work Order Release	0.00				DAS 21 9-89			
160									
QC	Memo	0.03							
Quality Control									

SEP 29 2016
dem 16/09/28

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
				Completed By					
				Lead hand / Supervisor Approval Verification					
				QC / QA Coordinator Approval					

Root Cause			FAULT CATEGORY							
Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong
Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions
Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance
Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect
Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing
Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved
Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing
Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish
LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread
Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence
Past Expiry Date ☐	☐	Manufacturing Process	OTHER : _____							
Misidentified ☐	☐	Past Due								

Picklist Print

Wednesday, July 06, 2016 8:42:56 AM

Page 1

Work Order ID: 148705

148705

Parent Item: D3943-051

D3943-051

Parent Item Name: Handle Assembly

Start Date: 6/29/2016

Required Date: 7/5/2016

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP RevA: add DEO DD 09.11.18 verified by:JLM IPP Rev:B as
per dwg REV.C DD 10.02.22 verified by:EC IPP REV:C 11.08.16 AS
PER REV.E DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D3943-5

Manufactured No

100

Each

7.0000

1

2

D3943-5

Plate

**

EL 16-7-25

Location

Loc Qty

Loc Code

ST061

4

109453

4

WA002

3

109238

3

D3943-7

Manufactured No

100

Each

17.0000

2

4

D3943-7

Stud

**

EL 16-7-25

Location

Loc Qty

Loc Code

WA002

17

114885

17

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

ITEM No.	QTY -041	QTY -051	QTY -053	PART NUMBER	DESCRIPTION	PREFERRED SUPPLIER
1	X			D3943-041	GROUND HANDLING CRANK ASSEMBLY	
5	1	X		D3943-051	HANDLE ASSEMBLY	
6	1		X	D3943-053	CHAIN ASSEMBLY	
11		1		D3943-1	HANDLE	M/F HANDLE FROM DIS-ASSEMBLED ITEM 39
12	1			D3943-3	HANDLE EXTENSION	
13		1		D3943-5	PLATE	
14		2		D3943-7	STUD	
15			1	D3943-9	CHAIN	USE CHAIN SUPPLIED WITH ITEM 39
16			1	D4405-1	EYE AND FORK SWIVEL	
21	1			D2690-4	LANYARD	
22	1			D3585-1	SET SCREW	
23	1			D3949-041	REMOVE BEFORE FLIGHT FLAG	
24			1	D3954-5	CHAIN LUG	
25	1			D3954-7	RATCHET LUG	
26			1	D3954-9	GWT CHAIN PIN	
31	1			AN5-11A	BOLT	
32	1			AN960-516	WASHER	
33	1			MS21042L5	NUT	
39	1			8143919	LEVER CHAIN HOIST (POWER FIST)	PRINCESS AUTO / 4000 lbs CAPACITY
51	1			S-1475	SPRING	REID SUPPLY
52	1			3408A59	BALL PLUNGER	McMASTER CARR
53	1			HX-15	SOCKET HEAD CAP SCREW 1/2-20 UNC X 0.75 LG	HASKINS
54	1			HX-16	SOCKET HEAD CAP SCREW 1/2-20 UNC X 1.0 LG	HASKINS

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER

NO. 148705 MJS
16-07-11

RELEASED
2011-07-29

E	CHANGED D3945-3 MATL TO SS (B8-5); FINISH NOW "NONE" (A7-5); TAP DRILL FOR 1/4-20 UNF-28 WAS PILOT HOLE NOTE (B1-5). PER PAR11-113.	MB	11.07.27
D	SHT 1 PL, ITEMS 51-54 RENUMBERED SEE PREV. REV. FOR DETAILS, ITEM 16 ADDED (VIEWS UPDATED). SHT 2 ZN D3 FLAG RELOCATED. SHT 3 ZONE D3, Ø0.12 HOLE DELETED. (SEE NCR 11-495)	AJS	11.05.16
C	RMV FINISH -041 (ZN A8-2), ADD NEW FINISH -051/-053/-1/-3 (A8-3/-4/-5), ADD CALIBRATION (A8-2), (1) HX-16 WAS HX-15 (B3-1, C3-1), PAR 10-001	CP	10.01.26
B	SHT 1 PL, ITEM 31 WAS AN4-10A, ITEM 32 WAS AN960-416, ITEM 33 WAS MS21042-4, ITEM 43 WAS 0.75 LG. SHEETS 2 - 5 NOTES: FINISH FOR ALL COMPONENTS NOW YELLOW SPRAY PAINT.	AJS	09.10.15
A	NEW ISSUE	AJS	09.05.13
REV.	DESCRIPTION	BY	DATE
DESIGN	DSTON / AJS		
DRAWN	1		
CHECKED	ASS		
MFG. APPR.			
APPROVED			
DE APPR.	N/A		
DATE	11.07.27		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D3943 TITLE GROSS WEIGHT TOW CRANK ASSY SCALE NTS REV. E SHEET 1 OF 5 COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

REMOVE AND RETAIN
RUBBER HAND GRIP

DISCARD PIN

RETAIN PIN

REMOVE &
DISCARD HOOK

8143919 LEVER CHAIN HOIST
(SHOWN PRIOR TO MODIFICATION)
(CHAIN SHOWN SHORTENED FOR CLARITY)

AN5-11A BOLT
AN960-516 WASHER
MS21042L5 NUT

3408A59
BALL PLUNGER

8143919
LEVER CHAIN HOIST

(CHAIN NOT SHOWN FOR CLARITY)

RE-INSTALL
RUBBER HAND-GRIP
HERE

D3943-3
HANDLE EXTENSION

D2690-4 LANYARD

D3949-041 FLAG

HX-16 S/H CAP SCREW

HX-15 S/H CAP SCREW
S-1475 SPRING

CALIBRATION TAG

D3585-1 SET SCREW

RE-INSTALL PIN

D3943-053 CHAIN ASSY

(CHAIN SHOWN SHORTENED FOR CLARITY)

D3943-041 GROUND HANDLING CRANK ASSEMBLY

NOTES -041:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3943-041" USING FINE POINT PERMANENT INK MARKER
- 7) CALIBRATION TAG PER DART QSI 008 4.4 (ZN C1-2)

DESIGN	DSTON / AJS	DART AEROSPACE LTD	
DRAWN	ASS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	ASS	DRAWING NO.	REV. E
MFG. APPR.	ASS	D3943	SHEET 2 OF 5
APPROVED	ASS	TITLE	SCALE
DE APPR.	N/A	GROSS WEIGHT TOW CRANK ASSY	NTS
DATE	11.07.27	COPYRIGHT © 2009 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

RELEASED
2011-07-29

D3943-1 HANDLE

2 PL

9.75

2.00

Ø0.31
THRUD3943-7 STUD
2 PLTHREAD 1/4-20 UNC-2B
THRUVIEW A-A
AS-3
(SCALE 2X) BS-3

2 PL

9.38
REF

A B1-3


D3943-5 PLATE

D3943-051 HANDLE ASSEMBLY**NOTES -051:**


- 1) MATERIAL : N/A
- 2) FINISH: POWDER COAT HYBRID SAFETY YELLOW (4.3.5.12) PER DART QSI 005 4.3
- 3) TOLERANCES: X.XX DIMENSIONS +/- 0.06 ALL OTHERS
PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) MASK ALL THREADS PRIOR TO FINISHING

DESIGN	DSTOW / AJS	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED	ASS	DRAWING NO.	REV. E
MFG. APPR.		D3943	SHEET 3 OF 5
APPROVED		TITLE	SCALE
DE APPR.	N/A	GROSS WEIGHT TOW CRANK ASSY	NTS
DATE	11.07.27	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


RELEASED
2011-07-28



8 7 6 5 4 3 2 1



D3943-3 HANDLE EXTENSION



DETAIL B-B
(DIMPLE DETAIL)
(SCALE 2X)

NOTES:

1) MATERIAL -3: AISI 304/316 STAINLESS STEEL SHEET
ANNEALED 2B FINISH PER MIL-S-5059
OR AMS 5513 (304) OR AMS 5524 (316)
OR ASTM A240 OR ASME SA240
REF DART SPEC M304S

OR:
AISI 303 STAINLESS STEEL SHEET
ANNEALED 2B FINISH PER MIL-S-5059
ASTM A240 OR ASME SA240
REF DART SPEC M303S


-5: MILD STEEL, SHEET
AISI 1010-1025 OR ASTM A36/A366/A1008
OR CSA G40-21, 38W/44W/50W/60W/70W
REF DART SPEC M1010-S

OR:
MILD STEEL, BAR
AISI 1010-1025 OR ASTM A36/A366/A569/A570
OR CSA G40-21, 38W/44W/50W/60W/70W
REF DART SPEC M1010-B



-7: MILD STEEL, ROUND BAR
AISI 1018-1025
PER MIL-S-7097
REF DART SPEC M1018-R

2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A

THREAD $\frac{1}{8}$ -11 UNC-2B



D3943-5 PLATE



D3943-7 STUD
(SCALE 2X)

RELEASED
2011-07-28

DESIGN	DSTOW / AJS	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>AS</i>	DRAWING NO.	REV. E
MFG. APPR.	<i>AS</i>	D3943	SHEET 5 OF 5
APPROVED	<i>MA</i>	TITLE	SCALE
DE APPR.	<i>NA</i>	GROSS WEIGHT TOW CRANK ASSY	NTS
DATE	11.07.27	COPYRIGHT © 2009 BY DART AEROSPACE LTD	
THIS DOCUMENT IS UNCLASSIFIED AND CONFIDENTIALITY IS NOT APPLIED TO IT UNLESS OTHERWISE NOTED. IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

8 7 6 5 4 3 2 1